

Brennwertveröffentlichung gemäß § 40 Gas NZV des Netzbetreibers

Stadtwerke Hof Energie+Wasser GmbH

| | | <u>Hof</u> | <u>Köditz</u> | <u>Brunnenthal</u> |
|-----------|------|---------------------------|---------------------------|---------------------------|
| September | 2011 | 11,412 kWh/m ³ | 11,412 kWh/m ³ | 11,412 kWh/m ³ |
| Oktober | 2011 | 11,339 kWh/m ³ | 11,339 kWh/m ³ | 11,339 kWh/m ³ |
| November | 2011 | 11,192 kWh/m ³ | 11,192 kWh/m ³ | 11,192 kWh/m ³ |
| Dezember | 2011 | 11,171 kWh/m ³ | 11,171 kWh/m ³ | 11,171 kWh/m ³ |
| Januar | 2012 | 11,167 kWh/m ³ | 11,167 kWh/m ³ | 11,167 kWh/m ³ |
| Februar | 2012 | 11,205 kWh/m ³ | 11,205 kWh/m ³ | 11,205 kWh/m ³ |
| März | 2012 | 11,298 kWh/m ³ | 11,298 kWh/m ³ | 11,298 kWh/m ³ |
| April | 2012 | 11,189 kWh/m ³ | 11,189 kWh/m ³ | 11,189 kWh/m ³ |
| Mai | 2012 | 11,217 kWh/m ³ | 11,217 kWh/m ³ | 11,217 kWh/m ³ |
| Juni | 2012 | 11,298 kWh/m ³ | 11,298 kWh/m ³ | 11,298 kWh/m ³ |
| Juli | 2012 | 11,257 kWh/m ³ | 11,257 kWh/m ³ | 11,257 kWh/m ³ |
| August | 2012 | 11,237 kWh/m ³ | 11,237 kWh/m ³ | 11,237 kWh/m ³ |
| September | 2012 | 11,148 kWh/m ³ | 11,148 kWh/m ³ | 11,148 kWh/m ³ |
| Oktober | 2012 | 11,179 kWh/m ³ | 11,179 kWh/m ³ | 11,179 kWh/m ³ |
| November | 2012 | 11,162 kWh/m ³ | 11,162 kWh/m ³ | 11,162 kWh/m ³ |
| Dezember | 2012 | 11,194 kWh/m ³ | 11,194 kWh/m ³ | 11,194 kWh/m ³ |
| Januar | 2013 | 11,199 kWh/m ³ | 11,199 kWh/m ³ | 11,199 kWh/m ³ |
| Februar | 2013 | 11,205 kWh/m ³ | 11,205 kWh/m ³ | 11,205 kWh/m ³ |
| März | 2013 | 11,204 kWh/m ³ | 11,204 kWh/m ³ | 11,204 kWh/m ³ |

| | | <u>Hof</u> | <u>Köditz</u> | <u>Brunnenthal</u> |
|-----------|------|---------------------------|---------------------------|---------------------------|
| April | 2013 | 11,165 kWh/m ³ | 11,165 kWh/m ³ | 11,165 kWh/m ³ |
| Mai | 2013 | 11,193 kWh/m ³ | 11,193 kWh/m ³ | 11,193 kWh/m ³ |
| Juni | 2013 | 11,211 kWh/m ³ | 11,211 kWh/m ³ | 11,211 kWh/m ³ |
| Juli | 2013 | 11,217 kWh/m ³ | 11,217 kWh/m ³ | 11,217 kWh/m ³ |
| August | 2013 | 11,239 kWh/m ³ | 11,239 kWh/m ³ | 11,239 kWh/m ³ |
| September | 2013 | 11,216 kWh/m ³ | 11,216 kWh/m ³ | 11,216 kWh/m ³ |
| Oktober | 2013 | 11,213 kWh/m ³ | 11,213 kWh/m ³ | 11,213 kWh/m ³ |
| November | 2013 | 11,217 kWh/m ³ | 11,217 kWh/m ³ | 11,217 kWh/m ³ |
| Dezember | 2013 | 11,198 kWh/m ³ | 11,198 kWh/m ³ | 11,198 kWh/m ³ |
| Januar | 2014 | 11,206 kWh/m ³ | 11,206 kWh/m ³ | 11,206 kWh/m ³ |
| Februar | 2014 | 11,206 kWh/m ³ | 11,206 kWh/m ³ | 11,206 kWh/m ³ |
| März | 2014 | 11,250 kWh/m ³ | 11,250 kWh/m ³ | 11,250 kWh/m ³ |
| April | 2014 | 11,352 kWh/m ³ | 11,352 kWh/m ³ | 11,352 kWh/m ³ |
| Mai | 2014 | 11,443 kWh/m ³ | 11,443 kWh/m ³ | 11,443 kWh/m ³ |
| Juni | 2014 | 11,325 kWh/m ³ | 11,325 kWh/m ³ | 11,325 kWh/m ³ |
| Juli | 2014 | 11,360 kWh/m ³ | 11,360 kWh/m ³ | 11,360 kWh/m ³ |
| August | 2014 | 11,327 kWh/m ³ | 11,327 kWh/m ³ | 11,327 kWh/m ³ |
| September | 2014 | 11,287 kWh/m ³ | 11,287 kWh/m ³ | 11,287 kWh/m ³ |
| Oktober | 2014 | 11,350 kWh/m ³ | 11,350 kWh/m ³ | 11,350 kWh/m ³ |
| November | 2014 | 11,326 kWh/m ³ | 11,326 kWh/m ³ | 11,326 kWh/m ³ |
| Dezember | 2014 | 11,274 kWh/m ³ | 11,274 kWh/m ³ | 11,274 kWh/m ³ |
| Januar | 2015 | 11,269 kWh/m ³ | 11,269 kWh/m ³ | 11,269 kWh/m ³ |
| Februar | 2015 | 11,353 kWh/m ³ | 11,353 kWh/m ³ | 11,353 kWh/m ³ |
| März | 2015 | 11,325 kWh/m ³ | 11,325 kWh/m ³ | 11,325 kWh/m ³ |
| April | 2015 | 11,326 kWh/m ³ | 11,326 kWh/m ³ | 11,326 kWh/m ³ |
| Mai | 2015 | 11,322 kWh/m ³ | 11,322 kWh/m ³ | 11,322 kWh/m ³ |
| Juni | 2015 | 11,296 kWh/m ³ | 11,296 kWh/m ³ | 11,296 kWh/m ³ |

| | | <u>Hof</u> | <u>Köditz</u> | <u>Brunnenthal</u> |
|-----------|------|---------------------------|---------------------------|---------------------------|
| Juli | 2015 | 11,280 kWh/m ³ | 11,280 kWh/m ³ | 11,280 kWh/m ³ |
| August | 2015 | 11,317 kWh/m ³ | 11,317 kWh/m ³ | 11,317 kWh/m ³ |
| September | 2015 | 11,384 kWh/m ³ | 11,384 kWh/m ³ | 11,384 kWh/m ³ |
| Oktober | 2015 | 11,327 kWh/m ³ | 11,327 kWh/m ³ | 11,327 kWh/m ³ |
| November | 2015 | 11,378 kWh/m ³ | 11,378 kWh/m ³ | 11,378 kWh/m ³ |
| Dezember | 2015 | 11,378 kWh/m ³ | 11,378 kWh/m ³ | 11,378 kWh/m ³ |
| Januar | 2016 | 11,329 kWh/m ³ | 11,329 kWh/m ³ | 11,329 kWh/m ³ |
| Februar | 2016 | 11,346 kWh/m ³ | 11,346 kWh/m ³ | 11,346 kWh/m ³ |
| März | 2016 | 11,328 kWh/m ³ | 11,328 kWh/m ³ | 11,328 kWh/m ³ |
| April | 2016 | 11,393 kWh/m ³ | 11,393 kWh/m ³ | 11,393 kWh/m ³ |
| Mai | 2016 | 11,353 kWh/m ³ | 11,353 kWh/m ³ | 11,353 kWh/m ³ |
| Juni | 2016 | 11,359 kWh/m ³ | 11,359 kWh/m ³ | 11,359 kWh/m ³ |
| Juli | 2016 | 11,345 kWh/m ³ | 11,345 kWh/m ³ | 11,345 kWh/m ³ |
| August | 2016 | 11,399 kWh/m ³ | 11,399 kWh/m ³ | 11,399 kWh/m ³ |
| September | 2016 | 11,452 kWh/m ³ | 11,452 kWh/m ³ | 11,452 kWh/m ³ |
| Oktober | 2016 | 11,266 kWh/m ³ | 11,266 kWh/m ³ | 11,266 kWh/m ³ |
| November | 2016 | 11,262 kWh/m ³ | 11,262 kWh/m ³ | 11,262 kWh/m ³ |
| Dezember | 2016 | 11,269 kWh/m ³ | 11,269 kWh/m ³ | 11,269 kWh/m ³ |
| Januar | 2017 | 11,255 kWh/m ³ | 11,255 kWh/m ³ | 11,255 kWh/m ³ |
| Februar | 2017 | 11,247 kWh/m ³ | 11,247 kWh/m ³ | 11,247 kWh/m ³ |
| März | 2017 | 11,259 kWh/m ³ | 11,259 kWh/m ³ | 11,259 kWh/m ³ |
| April | 2017 | 11,349 kWh/m ³ | 11,349 kWh/m ³ | 11,349 kWh/m ³ |
| Mai | 2017 | 11,411 kWh/m ³ | 11,411 kWh/m ³ | 11,411 kWh/m ³ |
| Juni | 2017 | 11,348 kWh/m ³ | 11,348 kWh/m ³ | 11,348 kWh/m ³ |
| Juli | 2017 | 11,311 kWh/m ³ | 11,311 kWh/m ³ | 11,311 kWh/m ³ |
| August | 2017 | 11,290 kWh/m ³ | 11,290 kWh/m ³ | 11,290 kWh/m ³ |
| September | 2017 | 11,297 kWh/m ³ | 11,297 kWh/m ³ | 11,297 kWh/m ³ |

| | | <u>Hof</u> | <u>Köditz</u> | <u>Brunnenthal</u> |
|-----------|------|---------------------------|---------------------------|---------------------------|
| Oktober | 2017 | 11,262 kWh/m ³ | 11,262 kWh/m ³ | 11,262 kWh/m ³ |
| November | 2017 | 11,249 kWh/m ³ | 11,249 kWh/m ³ | 11,249 kWh/m ³ |
| Dezember | 2017 | 11,249 kWh/m ³ | 11,249 kWh/m ³ | 11,249 kWh/m ³ |
| Januar | 2018 | 11,251 kWh/m ³ | 11,251 kWh/m ³ | 11,251 kWh/m ³ |
| Februar | 2018 | 11,252 kWh/m ³ | 11,252 kWh/m ³ | 11,252 kWh/m ³ |
| März | 2018 | 11,249 kWh/m ³ | 11,249 kWh/m ³ | 11,249 kWh/m ³ |
| April | 2018 | 11,246 kWh/m ³ | 11,246 kWh/m ³ | 11,246 kWh/m ³ |
| Mai | 2018 | 11,292 kWh/m ³ | 11,294 kWh/m ³ | 11,293 kWh/m ³ |
| Juni | 2018 | 11,269 kWh/m ³ | 11,267 kWh/m ³ | 11,269 kWh/m ³ |
| Juli | 2018 | 11,303 kWh/m ³ | 11,304 kWh/m ³ | 11,304 kWh/m ³ |
| August | 2018 | 11,368 kWh/m ³ | 11,365 kWh/m ³ | 11,357 kWh/m ³ |
| September | 2018 | 11,299 kWh/m ³ | 11,296 kWh/m ³ | 11,301 kWh/m ³ |
| Oktober | 2018 | 11,262 kWh/m ³ | 11,262 kWh/m ³ | 11,262 kWh/m ³ |
| November | 2018 | 11,257 kWh/m ³ | 11,256 kWh/m ³ | 11,256 kWh/m ³ |
| Dezember | 2018 | 11,268 kWh/m ³ | 11,268 kWh/m ³ | 11,268 kWh/m ³ |
| Januar | 2019 | 11,281 kWh/m ³ | 11,281 kWh/m ³ | 11,281 kWh/m ³ |
| Februar | 2019 | 11,259 kWh/m ³ | 11,259 kWh/m ³ | 11,259 kWh/m ³ |
| März | 2019 | 11,268 kWh/m ³ | 11,267 kWh/m ³ | 11,269 kWh/m ³ |
| April | 2019 | 11,383 kWh/m ³ | 11,383 kWh/m ³ | 11,378 kWh/m ³ |
| Mai | 2019 | 11,349 kWh/m ³ | 11,350 kWh/m ³ | 11,344 kWh/m ³ |
| Juni | 2019 | 11,275 kWh/m ³ | 11,277 kWh/m ³ | 11,275 kWh/m ³ |
| Juli | 2019 | 11,294 kWh/m ³ | 11,294 kWh/m ³ | 11,298 kWh/m ³ |
| August | 2019 | 11,350 kWh/m ³ | 11,351 kWh/m ³ | 11,356 kWh/m ³ |
| September | 2019 | 11,305 kWh/m ³ | 11,306 kWh/m ³ | 11,305 kWh/m ³ |
| Oktober | 2019 | 11,309 kWh/m ³ | 11,309 kWh/m ³ | 11,318 kWh/m ³ |
| November | 2019 | 11,316 kWh/m ³ | 11,316 kWh/m ³ | 11,314 kWh/m ³ |
| Dezember | 2019 | 11,311 kWh/m ³ | 11,311 kWh/m ³ | 11,309 kWh/m ³ |

| | | <u>Hof</u> | <u>Köditz</u> | <u>Brunnenthal</u> |
|-----------|------|---------------------------|---------------------------|---------------------------|
| Januar | 2020 | 11,306 kWh/m ³ | 11,307 kWh/m ³ | 11,303 kWh/m ³ |
| Februar | 2020 | 11,305 kWh/m ³ | 11,305 kWh/m ³ | 11,307 kWh/m ³ |
| März | 2020 | 11,294 kWh/m ³ | 11,293 kWh/m ³ | 11,288 kWh/m ³ |
| April | 2020 | 11,392 kWh/m ³ | 11,391 kWh/m ³ | 11,391 kWh/m ³ |
| Mai | 2020 | 11,384 kWh/m ³ | 11,386 kWh/m ³ | 11,382 kWh/m ³ |
| Juni | 2020 | 11,332 kWh/m ³ | 11,337 kWh/m ³ | 11,332 kWh/m ³ |
| Juli | 2020 | 11,349 kWh/m ³ | 11,348 kWh/m ³ | 11,352 kWh/m ³ |
| August | 2020 | 11,305 kWh/m ³ | 11,306 kWh/m ³ | 11,307 kWh/m ³ |
| September | 2020 | 11,274 kWh/m ³ | 11,274 kWh/m ³ | 11,273 kWh/m ³ |
| Oktober | 2020 | 11,282 kWh/m ³ | 11,283 kWh/m ³ | 11,283 kWh/m ³ |
| November | 2020 | 11,265 kWh/m ³ | 11,265 kWh/m ³ | 11,266 kWh/m ³ |
| Dezember | 2020 | 11,279 kWh/m ³ | 11,280 kWh/m ³ | 11,274 kWh/m ³ |
| Januar | 2021 | 11,282 kWh/m ³ | 11,281 kWh/m ³ | 11,277 kWh/m ³ |
| Februar | 2021 | 11,258 kWh/m ³ | 11,258 kWh/m ³ | 11,258 kWh/m ³ |
| März | 2021 | 11,261 kWh/m ³ | 11,261 kWh/m ³ | 11,261 kWh/m ³ |
| April | 2021 | 11,265 kWh/m ³ | 11,265 kWh/m ³ | 11,265 kWh/m ³ |
| Mai | 2021 | 11,269 kWh/m ³ | 11,269 kWh/m ³ | 11,271 kWh/m ³ |
| Juni | 2021 | 11,367 kWh/m ³ | 11,360 kWh/m ³ | 11,374 kWh/m ³ |
| Juli | 2021 | 11,300 kWh/m ³ | 11,294 kWh/m ³ | 11,302 kWh/m ³ |
| August | 2021 | 11,265 kWh/m ³ | 11,266 kWh/m ³ | 11,266 kWh/m ³ |
| September | 2021 | 11,277 kWh/m ³ | 11,275 kWh/m ³ | 11,279 kWh/m ³ |
| Oktober | 2021 | 11,288 kWh/m ³ | 11,297 kWh/m ³ | 11,293 kWh/m ³ |
| November | 2021 | 11,267 kWh/m ³ | 11,267 kWh/m ³ | 11,267 kWh/m ³ |
| Dezember | 2021 | 11,276 kWh/m ³ | 11,278 kWh/m ³ | 11,261 kWh/m ³ |
| Januar | 2022 | 11,432 kWh/m ³ | 11,434 kWh/m ³ | 11,426 kWh/m ³ |
| Februar | 2022 | 11,420 kWh/m ³ | 11,422 kWh/m ³ | 11,415 kWh/m ³ |

| | | <u>Hof</u> | <u>Köditz</u> | <u>Brunnenthal</u> |
|-----------|------|---------------------------|---------------------------|---------------------------|
| März | 2022 | 11,281 kWh/m ³ | 11,281 kWh/m ³ | 11,283 kWh/m ³ |
| April | 2022 | 11,589 kWh/m ³ | 11,588 kWh/m ³ | 11,595 kWh/m ³ |
| Mai | 2022 | 11,588 kWh/m ³ | 11,585 kWh/m ³ | 11,596 kWh/m ³ |
| Juni | 2022 | 11,508 kWh/m ³ | 11,505 kWh/m ³ | 11,510 kWh/m ³ |
| Juli | 2022 | 11,584 kWh/m ³ | 11,583 kWh/m ³ | 11,581 kWh/m ³ |
| August | 2022 | 11,538 kWh/m ³ | 11,540 kWh/m ³ | 11,542 kWh/m ³ |
| September | 2022 | 11,556 kWh/m ³ | 11,556 kWh/m ³ | 11,563 kWh/m ³ |
| Oktober | 2022 | 11,501 kWh/m ³ | 11,501 kWh/m ³ | 11,491 kWh/m ³ |
| November | 2022 | 11,503 kWh/m ³ | 11,504 kWh/m ³ | 11,489 kWh/m ³ |
| Dezember | 2022 | 11,525 kWh/m ³ | 11,524 kWh/m ³ | 11,529 kWh/m ³ |
| Januar | 2023 | 11,519 kWh/m ³ | 11,518 kWh/m ³ | 11,501 kWh/m ³ |
| Februar | 2023 | 11,511 kWh/m ³ | 11,512 kWh/m ³ | 11,510 kWh/m ³ |
| März | 2023 | 11,483 kWh/m ³ | 11,483 kWh/m ³ | 11,489 kWh/m ³ |
| April | 2023 | 11,579 kWh/m ³ | 11,579 kWh/m ³ | 11,583 kWh/m ³ |
| Mai | 2023 | 11,585 kWh/m ³ | 11,584 kWh/m ³ | 11,586 kWh/m ³ |
| Juni | 2023 | 11,628 kWh/m ³ | 11,633 kWh/m ³ | 11,628 kWh/m ³ |
| Juli | 2023 | 11,576 kWh/m ³ | 11,577 kWh/m ³ | 11,579 kWh/m ³ |
| August | 2023 | 11,586 kWh/m ³ | 11,589 kWh/m ³ | 11,547 kWh/m ³ |
| September | 2023 | 11,616 kWh/m ³ | 11,617 kWh/m ³ | 11,612 kWh/m ³ |
| Oktober | 2023 | 11,583 kWh/m ³ | 11,582 kWh/m ³ | 11,581 kWh/m ³ |
| November | 2023 | 11,530 kWh/m ³ | 11,529 kWh/m ³ | 11,533 kWh/m ³ |
| Dezember | 2023 | 11,509 kWh/m ³ | 11,510 kWh/m ³ | 11,510 kWh/m ³ |
| Januar | 2024 | 11,519 kWh/m ³ | 11,518 kWh/m ³ | 11,501 kWh/m ³ |

| | | <u>Hof</u> | <u>Köditz</u> | <u>Brunnenthal</u> |
|----------------|-------------|---------------------------------|---------------------------------|---------------------------------|
| Februar | 2024 | 11,526 kWh/m³ | 11,525 kWh/m³ | 11,510 kWh/m³ |
| März | 2024 | 11,529 kWh/m³ | 11,529 kWh/m³ | 11,528 kWh/m³ |
| April | 2024 | 11,476 kWh/m³ | 11,475 kWh/m³ | 11,475 kWh/m³ |
| Mai | 2024 | 11,458 kWh/m³ | 11,459 kWh/m³ | 11,454 kWh/m³ |
| Juni | 2024 | 11,587 kWh/m³ | 11,585 kWh/m³ | 11,589 kWh/m³ |